



# COMMERCIAL FEED SCHEDULE

For use in continuous liquid feed systems or applied with every watering

| WEEK                                      | 1       | 2       | 3       | 4       | 5       | 6       | 7           | 8           | 9           | 10      | 11      | 12     |
|---|---------|---------|---------|---------|---------|---------|-------------|-------------|-------------|---------|---------|--------|
| APPLY WITH EVERY WATERING 5-6 DAYS A WEEK |         |         |         |         |         |         |             |             |             |         |         |        |
| <b>COMMERCIAL BASE</b>                    | 3.07 g  | 3.33 g  | 3.63 g  | 3.63 g  | 3.63 g  | 3.63 g  | 3.63-4.00 g | 3.63-4.00 g | 3.63-4.00 g | 3.63 g  | 3.63 g  | FLUSH  |
| <b>CALCIUM NITRATE</b>                    | 3.07 g  | 3.33 g  | 3.63 g  | 3.63 g  | 3.63 g  | 3.63 g  | 3.63-4.00 g | 3.63-4.00 g | 3.63-4.00 g | 3.63 g  | 3.63 g  | 2.66 g |
| <b>MAGNESIUM SULFATE</b>                  | 1.92 g  | 2.08 g  | 2.28 g  | 2.28g   | 2.28 g  | 2.28 g  | 2.5 g       | 2.5 g       | 2.5 g       | 2.5 g   | 2.5 g   | 1.35 g |
| <b>COMMERCIAL BIO</b>                     | 4.0 mL* | 8.0 mL* | 8.0 mL* | 8.0 mL* | 8.0 mL* | 8.0 mL* | 8.0 mL*     | 8.0 mL*     | 8.0 mL*     | 8.0 mL* | 8.0 mL* | FLUSH  |
| APPLY ONCE PER WEEK ON A WATER-ONLY DAY   |         |         |         |         |         |         |             |             |             |         |         |        |
| <b>COMMERCIAL MICROBES</b>                | 0.29 g  | 0.29 g  | 0.29 g  | 0.29 g  | 0.29 g  | 0.29 g  | 0.29 g      | 0.29 g      | 0.29 g      | 0.29 g  | 0.29 g  | FLUSH  |
| <b>COMMERCIAL SILICON</b>                 | 1 mL    | 2 mL    | 2 mL    | 2 mL    | 2 mL    | 2 mL    | 2 mL        | 2 mL        | 2 mL        | 2 mL    | 2 mL    | FLUSH  |

Feed 5-6 days a week, with 1-2 days reserved for water only.

\*Add Commercial Bio in first and if making a concentrate tank, add it in with the Commercial Base concentrate tank.

Feeding rates and water schedule will vary depending on the environment and size of the crop.

Rates are per gallon of water—preferably RO.

*Age Old Commercial rates are based on a commercial lighting program of 25 watts per square foot. Nutrients may need to be decreased if the light intensities are lower, and increased if the light intensities are higher. If lighting intensities are unknown, it is always preferable to start with a lower rate, and increase the rate over time if needed.*